

**OFFICE OF THE PRINCIPAL
GOVT. POLYTECHNIC GARIYABAND(C.G.) 493889**

Ph. No. : 07706-241303, Fax No. : 07706-241303,
E-mail : gpolyg@rediffmail.com

TENDER - DOCUMENT

FOR

PURCHASE OF PLUMBING GOODS/EQUIPMENTS

(2019- 2020)

निविदा सूचना क्रमांक01/तकनीकी/शापाग/स्टोर/VTP/2020/1159 गरियाबंद, 11.02.2020

- | | |
|------------------------------|---------------------------------------|
| 1. Total Value of work | Approx Rs 02 Lacs (Rs. Two Lacs only) |
| 2. Tender document issued to | M/s-----
----- |
| 3. Cost of Tender | Rs 500-00 (Rs Five Hundred only) |
| 4. Money receipt & Date | ----- |
| 5. Date of issue of tender | ----- |

Issued by

Principal,
Government Polytechnic
Gariyaband ,CG

GOVT. POLYTECHNIC GARIYABAND (C.G) 493889

Notice Inviting Tender (NIT) for the Supply of Plumbing Goods/Equipment/Machine items

Tender No.: 01/Tech/GPG/STORE/VTP/2020/1159

Gariyaband, Date 11.02.2020

Sealed Tenders are invited from the intended manufacturer/authorized dealer/registered suppliers for supply of Plumbing Goods/ Equipments/ Machine to Government Polytechnic Gariyaband (CG).

Tender document can be obtained from the office during the office working hours other than public holidays, on payment by cash or by DD of Rs. 500/- (rupees five hundred only) in favor of, Principal, Government Polytechnic Gariyaband, payable at Gariyaband.

Tender document can be downloaded from the website www.cgderaipur.ac.in. or www.polygariyaband.ac.in. In this case tender will deposit Rs 500/- in the form of D.D. as document cost along with EMD in favor of "Principal Government Polytechnic, Gariyaband (C.G.)".

<u>Important dates of Notice Inviting Tender</u>		
1.	Date for sale of Tender document	12.02.2020
2.	Last date for Sale of Tender Document	04.03.2020 (2.00 pm)
3.	Last Date and time for Receiving Sealed Tender	04.03.2020 (3.00 PM)
3.	Date and time of opening the tender	04.03.2020 (4.00 PM)
5	Venue	Government Polytechnic, Gariyaband
6.	EMD	6000.00 Rupees(Rs Six thousand only)

**Principal
Govt. Polytechnic, Gariyaband**

GOVT. POLYTECHNIC GARIYABAND (C.G) 493889

TENDER DOCUMENT

1. Tender No - 01/Tech/GPG/Store/VTP/2020/1159 Date 11.02.2020
2. Cost of the Tender Form -Rs 500/- by Cash or DD, Non-refundable
3. Date of Submission -On or before 04.03.2020 at 03.00 PM

In case, if the last date is declared to be a holidays, the tender may be submitted up to 3:00pm of the immediate next working day.

4. The Tenders shall be opened at 04.00 PM on 04.03.2020
5. Tender shall remain valid for a period of One year.

TERMS AND CONDITIONS

1. For participation in tender process following signed and stamped documents must be furnished in envelope A – super scribed as “Technical Bid **Envelope A**” **Tender received without these certificates must be rejected.**
 - A. Registration of firm/company.
 - B. PAN no.
 - C. Income Tax return of last three years/clearance certificate.
 - D. Sales tax clearing certificate.
 - E. TIN certificate from commercial tax department.
 - F. ISO/BIS/ISI certificate for firm/product.
 - G. Manufacturer/dealer /Agency certificate.
 - H. Balance sheet /Turnover of firm/company of last three yrs duly signed by CA.
 - I. DD for Tender fee (if not submitted earlier) and DD for EMD.
 - J. Item specifications /Literature /Brochure / leaflet regarding supplier/firm business.
 - K. Acceptance of terms and condition (signed and stamped copy of tender document).
 - L. Any other document which you consider as necessary.
 - M. Submit last three years PSU/ Government/ Private Supply record of the said items.
2. **Envelope B** should contain **price bid along with taxes and discount** if any and super scribed as “ Financial Bid envelope B”
3. Both envelope A & B should be put in a third big envelope and Super scribed as “ Tender for supply and installation of plumbing machine/equipment” All envelope should

be signed and should be sealed on all joints and submitted in prescribed tender box in the office of the Principal Govt. polytechnic Gariyaband.

4. Firstly technical bid and documents envelope-A will be opened and if it is found satisfactory than only financial bid envelope –B will be opened.
5. The tender is liable to be rejected if not submitted as per the prescribed conditions and in the prescribed format in envelope A and B .as given in point 1 & 2 .No further clarification will be entertained.
6. The suppliers should quote their offer/ rate in clear terms without any ambiguity. Discount if any must be clearly specified.
7. The tender will be opened on the date and time given above in the presence of tender(s) or their representative who desire to be present.
8. Tender received after due date and time will not be entertained.
9. Tender form is non transferable.
10. The tender document is also available on the website www.cgdteraipur.ac.in. tender can downloads the document from the website, in that case he has to deposit DD of Rs 500-00 in favor of Principal, **Government Polytechnic,Gariyaband** at the time of submission of tender. Otherwise his tender will not be entertained.
11. A soft copy of the tender should be submitted along with the tender document.
12. Item no. and page no of the tender form should be strictly in chronological order. Make/model, name of the manufacturer with complete address should be mentioned against each item and equipment.(submit in tabular form)
13. The tender should be sent in firms own letter pad along with terms and conditions. Printed condition on the back of the tender will not be binding unless separately mentioned.
14. The rate should be FOR destination (Govt. Polytechnic Gariyaband) on door delivery basis including all taxes, packing forwarding, transportation etc. Warranty/ Guarantee if any on any item it should also be stated clearly.
15. Taxes, if leviable extra, should be clearly indicated, failing which the rate quoted in the tender will be considered as inclusive of all taxes.
16. There should be no alterations / corrections made in the Tender. The quoted rate should be in figures and words both. The tenderer may quote the rate of any or all the items listed in the tender form. Rates should be quoted separately for individual item and not in lump-sum for all taken together
17. The tenderer are required to deposit EMD of rupees 6000.00.The EMD should be deposited in the form of Demand Draft/ Bankers Cheque drawn in favor of Principal, Government Polytechnic, Gariyaband(CG) payable at Gariyaband. Tenders received without EMD will be rejected. Requests for relaxing EMD will not be entertained. EMD by cheque or MO will not be accepted.

18. In case of non- acceptance of the tender the EMD will be refunded to the tenderer on demand in due course of time without interest. The EMD will be treated as security deposit in case of selected tenders EMD/ security deposit will be forfeited in case of breach of agreement of supply by the tenderer/ supplier. The order shall stand cancelled and security deposit forfeited if:
- (I) Supplier expresses his inability to execute the order for the quoted items within validity period of the tender at the rate quoted in the tender and for makes/ brand quoted in the tender.
 - (II) The complete equipment is not supplied within the delivery period mentioned in the order or within the extended period permitted.
 - (III) The supplier executes only a part of the order.
19. Any Equipment/ goods breakdown must be attended within 48 hours during the valid warranty period of the equipment/ goods, free of cost.
20. No advance payment will be made.
23. Payment shall be released after the successful installation (If needed), demonstration and training of the machine equipment at the institution.
24. The tenderer must have to give demonstration of the machine/Goods/equipments at Government Polytechnic- Gariyaband wherever necessary at his own cost.
25. The one time extension in the delivery period may be granted at the discretion of the undersigned. The penalty at a rate of 2% per month of the full cost of the equipment is liable to be charged for the extension of the delivery period
26. Equipment received after the delivery period or dispatched after the delivery period mentioned in the order will also be subjected to this penalty.
27. In case of any default in execution of the order, the undersigned reserves the right to forfeit the EMD/ Security deposit. The undersigned also reserves the right to cancel the order and forfeit the EMD/ Security deposit in case the tenderer fails to adheres strictly to all terms and condition of the order/ tender.
28. If defects of any kind or deviations from the specification are detected and reported to the supplier, the supplier should make replacement or rectify the defects free of cost within 30 days from the date of report, failing which the equipment will not be accepted and will be taken back by the supplier at his own cost and risk, and the EMD will be forfeited, In case the equipment is sent for repairs to the firm, it should be repaired within 30 days. from the date of receipt of equipment failing which the same will not be accepted and EMD will be forfeited, However the undersigned may condone the delay in deserving cases at his/her discretion.
31. The undersigned reserves the right to increase/ decrease the quantity of the equipment to be supplied. If equipment supplied are not according to the ordered specifications and are not of proper quality, the same will not be accepted .Similarly second hand, reconditioned, damaged, repaired and substandard equipments and equipment having poor workmanship would not be accepted. Only brand new equipment with fine

workmanship will be accepted.

32. The submission of the tender will be deemed to be the acceptance of all the terms and condition of the tender as stated herein and/ or elsewhere in the tender document.
33. Tenders should be valid for at least twelve months from the date of opening of the tender. The prices should be firm without variations of any kind.
34. If required "D" form duly completed and signed by the competent authority for reduction in CST at the time of final payment shall be issued.
35. The undersigned reserves the right to accept the lowest or any tender and also of rejecting whole (all) or any part of tender without assigning any reasons for the same or to split up the tender as he/she may deem fit.
36. Exact and earliest possible time of delivery should be indicated in the tender against each item. The delivery period given in the order will be the date of receipt of the equipment in the institute and not the date of dispatch of the equipment by the supplier.
37. The successful tenderer will have to execute the agreement bond in the form as approved by Government of Chhattisgarh for execution of the supply order.
38. The minimum warrantee period for the equipment supplied by the supplier should be mentioned clearly and should not be less than one year from the date of installation. The tenderer will be required to undertake repair/ replacement of defective parts free of cost at the institution during the guarantee period
39. In the event of the order, supplier who are the manufacturer of the equipment will be required to furnish a certificate to the effect that they are manufacturers of such and such make whereas the authorized agent/dealer/distributor or stockist will have to furnish certificate issued by the manufacturer certifying that tenderer is their authorized agent/ dealer/distributor/ stockiest of that product/item. Without this certificate tender will not be accepted.
40. The tenderer shall guarantee that after sales services will be provided as and when required. Replacement or repair of part should be done and delivered free of cost at this institution.
41. The supplier will render necessary assistances, if required, in the installation of the equipment/ machinery in the institute/ site free of charge.
42. No. offer should be made for imported item for which import license has to be arranged by the undersigned. The entire imported item will have to be delivered in the institute and payment will be made in rupees.
43. The payments shall be released only after satisfactory and successful supply and training of the plumbing equipment/ machinery at the designated site/ institute and on submission of bill by the firm.
44. The rate quoted should preferably be net, inclusive of all taxes and duties, packing forwarding, freight, insurance and other incidental charges. In case these charges quoted extra in addition to the quoted rates, the amount there of or advolerun rate must be specified.

45. Period of Guarantee/ Warranty, where applicable should be specified in the tender.
46. In the event of any dispute arising out of the tender or from the resultant contract, the decision of the Principal, Government Polytechnic, Gariyaband (CG) will be final. any disputes with regard to the contract of purchase of equipment etc. is subjected to Gariyaband, Chhattisgarh Jurisdiction only.
47. The Supplier shall not directly or indirectly transfer, assign or sublet the order or any part of it.
48. No tenderer will be allowed to withdraw his Tender during the validity period.
49. Canvassing in any form for the acceptance of tender would disqualify the tenderer
50. The Tender document/ resultants contract will be interpreted under Indian laws.
51. If the successful tenderer, on receipt of the order fails to execute the order within the stipulated period, in full or part it will be open to the Principal, Government Polytechnic, Gariyaband (CG) to recover liquidated damage from the firm at the rate of 2% of the value of undelivered goods per month or part thereof, subject to a maximum of 5% of the value of undelivered goods. Alternatively, it will also be open to the Principal, government Polytechnic Gariyaband (CG) to arrange procurement of the required goods from any other source at the risk and expenses of the tenderer.
52. Inspection of the equipment/Goods will be carried out at the institution after receipt of the equipments.
53. In case of any variation of specification of any machine /equipment from tendered specification it should be clearly mentioned. Specification nearest can also be considered if it is as per technical norms for the given equipment/machinery.
54. Only actual manufacturer or their authorized agent/dealer and stockiest may submit the tender .It is mandatory to have ISO/BIS certification for supply/manufacture of the item/equipments/machineries. Only BIS/ISO /ISI certified item has to be quoted.
55. The bidder shall submit a signed and stamped (on each page) copy of tender document as testimony of acceptance of T&C of tender document.

Principal,
Government Polytechnic, Gariyaband(C.G.)

GOVT. POLYTECHNIC GARIYABAND (C.G) 493889

“Supply of Plumbing Goods/equipment at Govt. Polytechnic, Gariyaband.

No.	Item Name	Specification	Rate per unit
1	Pin up Board	1200mm*900mm, Aluminum framed, 12mm core material thickness, 8mm front layer thickness	
2	White Board	Surface- Resin Coated White Board marker Surface which Attract magnet, inner core made of hard smooth particle board, backside laminated sheet, frame made of anodized aluminum with proper arrangement of hooks for attachment in wall, corner made with ABS plastic, Mounting hardware included	
3	Hand Drilling Machine	Multi purpose drill machine used to drill plastic, wood, concrete and other surfaces for professional and single user at home, Rated power 600 W, up to 2800 rpm, both forward and reverses switch useful for screw driving, speed trigger provided for variable speed ,two way hammering and drilling mode selector switches are available on the top, one year warranty (prefer- BOSE)	
4	Slide Wrench	adjustable slide wrench made of steel heat treated chrome finish precision marked scale with dimension (l*h*w) 30cm*8cm*2 and one year warranty	
5	Parrot Pliers	made of Chrome Vanadium steel drop forged, heat treated multifunctional, total length of 200-250mm, capacity up to 50mm diameter	
6	Pipe Wheel Cutter	blade dia 14 inches/ 355mm cut-off machine, 2300 watt, useful for steel pipes, al and wood cutting	
7	CPVC Pipe Cutter	Harden 42mm Professional PVC Pipe Cutter - Aluminum Alloy Body, Mn Blade, Scope:3-42mm, Tail-Lock - Suitable for Cutting Water, Appliance Pipe,	
8	Allen Key set	10 pieces hanger packing set (1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 inches) made of high grade alloy steel, heat treated, ideal for professional, industrial and home use, coated and oiled for rust presentation. Size:42 mm - Length: 225 mm - Width: 101 mm.	
9	Smoke Generator	Plumbing smoke generator	

No.	Item Name	specification	Rate per unit
10	Pressure Gauge	Made of brass and other metal parts, 3/4" female hose thread adapter attaches directly to faucet or hose Provides accurate pressure readings from 0 to 200 PSI	
11	Pipe Die Set	Cast Iron Ratchet Pipe Threading Die Set (1/2, 3/4, 1, 1.25, 1.5, & 2 Inches,) Use for Galvanized pipe, Seamless steel pipe, stainless steel pipe, Black iron pipe. This Ratchet Die Set for manual pipe threading work.	
12	Blow Lamp	made of brass with tank capacity 500ml and brass burner, fitting with all accessories, longer lasting & less fuel, uniform flames and maximum heat, fitted on pump rod, oil cup and stove pin	
13	Hydraulic Pressure Test Pump	Water Pressure Tester 2.5Mpa Pipeline Tester 25Kg Manual Hydraulic Water Pressure Test Pipeline Tester Pump Machine	
14	Pipe Wrench 12"	high grade carbon steel, with high grade malleable cast iron housing, suitably knurled nuts and specially designed compression springs	
15	Pipe Wrench 14"	malleable cast iron housing, suitably knurled nuts and specially designed compression springs	
16	Pipe Vice	pipe vice provided with square steel pillar, replaceable steel jaws, hold pipe firmly without any crushing or bending, heavy jaws are hardened for maximum life, heavy base plate, ideal for professional, industrial and home use	
17	Hammer Sledge 1 Kg	1 kg Professional Sledge Hammer is made with Forged Fine Grain Steel Head Hardened	
18	Hammer Sledge	3 KG Professional Sledge Hammer is made with Forged Fine Grain Steel Head Hardened	
19	Flat Chisel	Metal and Plastic Chisel Set, Durable precision ground cutting edges Blades uniformly hardened for full length use, Blades are also heat tempered and lacquer coated to prevent rust, Package Contents: 3-Piece Chisel Set (1/2 x 7 3/4, 3/4 x 7 3/4, 1 x 7 3/4)	
20	Point Chisel	Metal and Plastic Chisel Set, Durable precision ground cutting edges Blades uniformly hardened for full length use, Blades are also heat tempered and lacquer coated to prevent rust,	
21	Flat Punch	MS flat punch	

No.	Item Name	specification	Rate per unit
22	Point Punch	Material: Steel, Length: 100 mm Package Contents: 5-Pieces Centre Punch Made out of high grade chrome steel accurately machined and heat treated Made out of high grade chrome steel, heat treated	
23	Flat File	Stainless Steel 200mm / 8 Inches Fine Flat File, ANTI-SLIP HANDLE	
24	Rawel Jumper Bit set	Plumbing Rawel Jumper Bit set	
25	Spanner Set (Double End)	The set includes 6*7 to 20*22 total of 8 pieces, made from chrome vanadium steel and plated with nickel chrome, hardness in the range from 42-48 HRC, i section design .	
26	Spirit Level	length 30mm, precision milled base for high accuracy, aluminum frame and precision extruded which increases accuracy and strength of the spirit levels, rubber molding is provided on the sides of the spirit levels to prevent damage to the body of the spirit levels, Available in two ranges mm/meter accuracy and 0.50 mm/meter accuracy to cater to regular and high precision requirements.	
27	Tube Level Pipe	transparent, 7-8 mm inner dia, 2-4 mm thick and 10 meter length, best for use in masonry and construction works for checking whether the surface is leveled.	
28	Screw Driver	chrome vanadium, rust resistant and matte finish bar, magnetized tips, Ergonomically designed bi-material handle, package contents 1- piece 9 way screwdriver set, types of screwdriver in the set includes - Phillips #0, #1, #2, standard 1/8, 3/16, 1/4, 1AWL, 1 trench puller	
29	Grip Plier	made from high grade of chrome vanadium steel, body and jaw teeth are differentially hardened to ensure good gripping, provided with wire cutter, ideal for precision jobs like tightening, clamping, twisting and turning.	
30	Poker	made of steel, multipurpose like plumbing and other construction work	
31	Hacksaw Frame with Blade	12 inches hacksaw for cutting wood, aluminum, plastic pipe, metal pipe etc, 5 blades included excellent build quality, for plumbing and electrification work, handle made of wood or other light weight insulating materials, Blade specification -12 inches* 1/2 inches * 23G*24 TPI	
32	Tri-Square	carbon steel blade, suitable for metal and wood works, made of stainless and rustles materials, try squares are best used as measurement tools and for making 90 degree angles, length 6 inches	
33	Plum Bob	made of metal, stainless and rustles, weight -150-200 grams, with 3meters thread	

No.	Item Name	specification	Rate per unit
34	Caulking Chisel		
35	Trowel Mason-Small	trowel made of metal, and handle made of wood or plastic. Light weight carbon steel.	
36	Trowel Mason-Big	trowel made of metal, and handle made of wood or plastic. Light weight carbon steel.	
37	Spade With Handle	blade head 165mm, hardened and tempered steel blade with rust preventive coating, package content spade with wooden handle.	
38	Mortar Pan	16 gauge steel pan, 3 cubic foot capacity, lightweight and nest-able, weight-16 lbs, overall dimensions L29.5* EW 29.5 * H 7 inches	
39	Cleaning Brush 2"	size 2 inches	
40	Painting Brush 2"	size 2 inches	
41	Oil Can (Small)	made of steel. Capacity 250ml, convenient for oiling car, machines, and bikes, fitted with fixed spout	
42	Chain Wrench	drop forged jaw with high grade steel, heat treated to give maximum strength and wear resistance, as accurately machined jaw teeth on both sides of the jaw provides firm gripping and are easy for reverse operation . IS 4123-1998	
43	Measuring Tape 5.0 Meter	Tough ABS case , durable steel blade, polymer coated blade for long life , thru-zero hook for accurate inside and outside measurements.	
44	Safety Belt - Half Body & Full Body Each	2 chest attachment textile loops and a dorsal attachment D ring for fall arrest, adjustable chest strop & thigh straps shoulder and thigh straps differentiated by a dual color scheme, webbing material polypropylene, IS 3521;1999 class A	
45	Safety Shoes	lining moisture wicking breathable fabric lining, steel toe can withstand an impact of over 200 j, sole double density directly injected PU sole, oil and acid resistant, anti static, Grey spacer lining antistatic lace up model with D rings	
46	Safety Helmet	made of special grade high density polyethylene, light weight yet strong to ensure extend working hours, louvers for cross ventilation, cushion pad for wearer comfort, four point suspension, pin lock fitting also available in ratchet.	
47	Cotton Hand Gloves	Good quality nylon made gloves, cut resistance gloves, multipurpose general especially for plumbing, construction, agriculture, handling glass and metal sheet.	

No.	Item Name	specification	Rate per unit
48	White Wash Basin	Material ceramic, white color, dimension 365mm*46.5mm*17.5mm, fine finishing.	
49	White I.W.C with Cistern	Slim line Polypropylene Economy Single Flush Cistern (White, Standard) Volume: 10 liters, with all attachment appliances to IWC having Dimension of 20 Inch x 16 Inch x 10.5 Inch, made of Ceramic materials	
50	White E.W.C (Normal)	Material : Ceramic , Color : White Mount Type : Floor Mount , Trap Type : S Trap , Trap Distance : 100mm / 4 Inch Dimension : 47cm x 37cm x 40cm , with Slow Motion Seat Cover	
51	Kitchen Sink (Stainless Steel)	material stainless steel sink, size 16*18*, single bowl	
52	White Urinal (Flat)	water inlet from top, outlet to wall/floor, back side flat, size 44cm* 32cm*26cm*	
53	PVC 'p' Trap for WC	plastic material, dia 110mm*110mm or 125mm*110mm, ideal for toilet purpose	
54	PVC 's' Trap for WC	plastic material, dia 110mm*110mm or 125mm*110mm, ideal for toilet purpose	
55	Bibcock (Long Body)	material brass, chrome plating, size 15mm, Quarter turn disc fittings, minimum 2 year warranty, suitable for kitchen and bathroom	
56	Bibcock (Short Body)	material brass, chrome plating, size 15mm, Quarter turn disc fittings, minimum 2 year warranty, suitable for kitchen and bathroom	
57	Single Lever Wash Basin Mixer	single lever chrome finish brass material , hot and cold basin mixer, 200*164*200 mm	
58	Shower with Shower Arm	overhead shower 2.5 inch with 1 inch shower arm and flanged, brass material with chrome coated	
59	Pillar cock	15mm, brass, with silver coated pillar cock	
60	Angle Cock	1" brass angle cock	
61	Ball Valve	1" brass ball valve	
62	Gate Valve	2 inch, brass/ bronze, Resistant to thermal shock, corrosion resistant, Design Standard IS 778	
63	Globe Valve		
64	Check Valve		
65	NRV	Brass N.R.V. 1" Pipe Fitting	
66	Foot Valve	1 inch brass foot valve	
67	GI Pipes - 15mm	As per IS-4923 & IS-3589	

No.	Item Name	specification	Rate per unit
68	Cement Solvent - CPVC	100ml	
69	Cement Solvent - UPVC	50 ml	
70	Cement Solvent - PVC	200 ml	
71	Goggle Plain /Black each	Polycarbonate industrial Safety Goggle	
72	Reflecting Jacket	Fully High Visibility Fluorescent Yellow-Green Reflective Safety Vest - Large, Polyester material	
73	Nose Mask	Anti pollution nose mask	
74	Shoulders Pad		
75	Ear Plug	Corded Foam, Noise Reduction Ear Plugs, Polycarbonate material	
76	CPVC Pipe - 20mm -3 Meter	20mm dia, 3 Meter length	
77	UPVC Pipe- 20mm 3 Meter	20mm dia, 3 Meter length	
78	PPR pipe - 20mm 1 Meter	20mm dia, 1 meter length	
79	SCI Pipe-100 mm	100mm dia, 1meter length	
80	SWR Pipe 100Mm Push Fit	100mm dia, 10 feet length	
81	SWR Pipe 100Mm plain	100mm dia, 10 feet length	
82	SW pipe- 100 mm	100mm dia, 10 feet length	
83	PVC Pipe - 100mm	100mm dia, 10 feet length	
84	GI Fittings- Tee, Socket , elbow, Bend, nipple, union, plug, cap	20 mm each	
85	UPVC Fittings- 20mm, Tee, Socket , elbow, Bend, nipple, union, plug, cap	20 mm each	
86	CPVC pipe fittings 20mm - Tee, Socket , elbow, Bend, nipple, union, plug, cap	20 mm each	

No.	Item Name	specification	Rate per unit
87	PPR pipe fittings 20mm - Tee, Socket , elbow, Bend, nipple, union, plug, cap	20 mm each	
88	PVC pipe fittings 20mm - Tee, Socket , elbow, Bend, nipple, union, plug, cap	20 mm each	
89	S.W Gully trap	9 X 6 Inch, Sewer Pipe, 15-20 mm thickness, Fire Clay / Red Clay / Betonies material, 1-2 Kg weight	
90	Water Meter 15 mm	Domestic Water Meter, Multi Jet, Screwed Ends, Brass Body, with Connectors, 15 mm, Measuring the water, dry dial, multi jet, magnetic Transmission, corrosion resistant	
91	Ferrul 6 mm	made of brass/ss	
92	Teflon Tape	Width-24 MM or 1 Inch,Length-8 Meters	
93	PVC Connection pipe	600mm length, 15mm dia., 20 mm connection thread	

Principal,
Government Polytechnic, Gariyaband (C.G.)

GOVT. POLYTECHNIC GARIYABAND (C.G) 493889

LETTER OF SUBMISSION OF TENDER FROM THE BIDDER

“Supply of Plumbing Goods/equipment at Govt. Polytechnic, Gariyaband.

1. I / We have examined the Scope of supply, Specifications and the Terms and Conditions relating to the Tender for the said supply after having obtained the Tender document invited by you.
2. I / We have visited the site, examined the site for the installation of the item specified in the Tender Document and acquired the requisite information relating thereto as affecting the Tender.
3. I / We hereby offer to execute the supply order in strict accordance with the Tender Document at the item rates quoted by me / us is in all respects, as per the Specifications Scope of supply described in the Tender Document and the other Terms and Conditions.
4. I / We agree to pay all Government (Central and State) Taxes such as Sales Tax, Works Contract Tax, Excise Duty, Octroi, service tax etc. and other taxes prevailing from time to time and the rates quoted by us are inclusive of the same.
5. The rates quoted by me / us are firm and shall not be changeable subject to variations on account of fluctuation in the market rates, taxes or any other reasons whatsoever.
6. If this tender be accepted, I / we hereby agree to abide by and fulfill all the Terms and Conditions and Provisions of the said Contract Document annexed hereto.

Names of the persons authorized to be present at the time of opening of the tender

- i. _____
- ii. _____

Documentary proof in respect of Letter of Authority / Power of Attorney to be enclosed along with the Tender.

Place:

Yours faithfully,

Date:

Name and Address of the Tenderer

(Signature of the Tenderer)

Name and Seal

List of Essential Document attached :-

1. .
2. .
3. .
4. .
5. .
6. .
7. .

8. .
GOVERNMENT POLYTECHNIC, GARIYABAND (C.G.) 493889

Technical Bid

(The Technical bid should be submitted in the following format in **envelope A** only)
(Contain documents as listed in point 1A to 1M)

Sr. No.	Name of Items	Make/Model	Specification given in the Tender	Technical specification which the bidder wants to supply as per Catalogue/Brochure	Remark
1	2	3	4	5	6
1.					
2.					
3.					
4.					

We hereby state that we have agreed to all terms & conditions as stipulated in the Tender Notice No. 01/Tech/GPG/Store/VTP/2020/1159 date 11.02.2020. I also hereby confirm that I am legally empowered/authorized to quote on behalf of the firm named herein. I shall be solely responsible for all/any dispute arising out of bidding in this Tender.

Signature of Bidder : -----

Name of the Person Signing: -----

Name of the Firm : -----

Address of the Firm: -----

Date: -----

Place: -----

Seal of the Firm: -----

GOVERNMENT POLYTECHNIC, GARIYABAND (C.G.) 493889

PRICE BID

(The Price offer should be submitted in the following format **envelope B** only)

I/We _____ hereby quote our best rates for the item mentioned below:-

List of Items

Sr. No.	Name of Items	Make/Model	Specification given in the Tender	Technical specification which the bidder wants to supply as per Catalogue/Brochure	Price (Indian Rupees)	Taxes (VAT/ CST)	Taxes (Any other)	Cost of equipment inclusive of all taxes & charges	Remark
1	2	3	4	5	6	7	8	9	10
1.									
2.									
3.									
4.									

We hereby state that we have agreed to all terms & conditions as stipulated in the Tender Notice No. 01/Tech/GPG/Store/VTP/2020/1159 date 11.02.2020. I also hereby confirm that I am legally empowered/authorized to quote on behalf of the firm named herein. I shall be solely responsible for all/any dispute arising out of bidding in this Tender.

Signature of Bidder : -----

Name of the Person Signing: -----

Name of the Firm : -----

Address of the Firm: -----

Date: -----

Place: -----

Seal of the Firm: -----